

Load Calculator

Complete your calculations and determine your daily loads in three easy steps:

For the most complete picture, complete this form both for days when you are anchored and separately for days when you are sailing.

Step 1: Calculate your AC loads.

Step 2: Calculate your DC loads.

Step 3: Note your total loads from the bottom of the sheet. Repeat steps 1&2 for auxilliary bank.

Step 1: Calculate your AC loads.

1.1 If there are no AC loads, skip to **Step 2**.

1.2 Enter your battery voltage (e.g. 12,24,48)

12

1.3 Add correction factor for inverter inefficiency (typically 15%)

15.00%

1.4 List your AC devices below. For each one, list the quantity, volts, amps, and average hrs/day of use.

If you have information on watts but not amps, use the Amps Calculator at right to convert to amps.

Amps Calculator

If your device is listed in watts, convert to amps and then enter in yellow **Amps** column at left

Description of AC Loads run by an inverter	Qty	Volts (110/220)	Amps	Watts	Hrs/Day of Use	Watt Hrs/Day
Microwave	1	110	9.583	1054.13	0.1	105.41
Television	1	110	0.6	66	1.5	99.00
Electric Kettle		110	12.5	0	0.5	0.00
Ice Maker	1	110	1	110	6	660.00
Induction Cooktop	1	110	12	1320	1.5	1,980.00
Coffee Maker	1	110	7.3	803	1	803.00
Water Heater		110	14	0	5	0.00
Convection Oven		110	13.6	0	1	0.00
Laptop	1	110	0.7	77	3	231.00
Laundry Machine		110	6	0	1	0.00
				0		0.00
				0		0.00
				0		0.00
				0		0.00
				0		0.00

Watts	Volts (110/220)	Amps
1500	110	13.636

				0		0.00
				0		0.00
				0		0.00
				0		0.00
				0		0.00
				0		0.00
				0		0.00
				0		0.00
				0		0.00

Results for AC loads

Total Watt Hrs/Day for listed AC loads	3,878.41
Corrected Watt Hrs/Day for AC loads	4,460.17
Corrected Amp Hrs/day for AC loads	371.68

Step 2: Calculate your DC loads

2A.1 Battery voltage entered above.

12
15.00%

2A.2 Add correction factor for battery charge/discharge loss (typically 15%)

2A.3 List your DC devices running off the house battery. For each one, list the quantity, volts, amps, and average hrs/day of use. If you have information on watts but not amps, use the **Amps Calculator** at right to convert to amps.

Amps Calculator

If your device is listed in watts, convert to amps and then enter in yellow **Amps** column at left

Description of DC loads run from house battery	Qty	Amps	Watts	Hrs/Day of Use	Watt Hrs/Day
Cabin Fan (stateroom)	1	0.41	4.92	8	39.36
Cabin Fan (main cabin)	2	0.41	9.84	16	157.44
Cabin Lights (LED)	7	1	84	6	504.00
Cockpit Lights (LED)	2	0.75	18	2	36.00
Companionway Courtesy Light (LED)	1	0.5	6	6	36.00
Refrigerator	1	5	60	12	720.00
Freezer	1	6.6	79.2	8	633.60
Stereo	1	2.5	30	4	120.00
USB Charging hub/Phone Charging station	2	3.4	81.6	3	244.80

Watts	Volts (110/220)	Amps
80	12	6.667

12v Power Supply ("cigarette lighter")	1		10	120	1	120.00				
Running Lights	1		4	48	0.3	14.40				
Bilge Pump	2		10	240	0.4	96.00				
Windlass			200	0	0.2	0.00				
Radar	1		5	60	8	480.00				
Chartplotter	1		2	24	24	576.00				
Sonar	1		0.5	6	8	48.00				
AIS and transmitter	1		2	24	12	288.00				
Anchor Light	1		2.5	30	12	360.00				
VHF Transmit	1		5	60	0.2	12.00				
VHF Receive	1		0.5	6	12	72.00				
Results for DC loads Battery Bank 1: House										
Total Watt Hrs/Day for listed DC loads	4,557.60									
Corrected Watt Hrs/Day for DC loads	5,241.24									
Corrected Amp Hrs/day for DC loads	436.77									
Total for AC + DC loads										
Corrected Watt Hrs/Day for AC and DC loads	9,701.41									
Corrected Amp Hrs/day for AC and DC loads	808.45									